## **CLAIMS**

Having thus described my invention, I claim:

1. An ostomy comfort pad comprising: 1 a front section and a back section having edges; 2 said front section is attached to said back section along said edges; 3 said front and back sections having a top section, a body section and a bottom 4 section; 5 said top sections having at least one arm; 6 7 said at least one arm having a fastener; said body sections having a predetermined length; 8 said body sections having a cut-out; 9 10 said front bottom section having a pocket; said front and back sections having a cover; and 11 a filling located between said front and back sections. 12 2. The ostomy comfort pad of claim 1 wherein: 1 said top sections have two arms; and 2 said front top, body and bottom sections are the same size and shape as said 3 back top, body and bottom sections. 4 **3**. The ostomy comfort pad of claim 2 wherein: 1 said fastener is a hook and loop type material; and 2 said hook and loop type material is located on said front section. 3

1		1. The ostomy comfort pad of claim 2 wherein:
2		said fastener is an adhesive tab; and
3		said adhesive tab is located on said front section.
1		The ostomy comfort pad of claim 2 wherein:
2		said arms have a predetermined length; and
3		aid arm lengths is at least half the length of the body sections.
1		The ostomy comfort pad of claim 2 wherein:
2		aid cut-out is sized and shaped for the acceptance of an ostomy appliance
3	collar	
1		The ostomy comfort pad of claim 2 wherein:
2		aid pocket is sized and shaped for the acceptance of an ostomy appliance
3	clip.	
ı l		The ostomy comfort pad of claim 1 wherein:
2		aid cover is polypropylene.
l		The ostomy comfort pad of claim 1 wherein:
2		aid filling is pinewood fluff.
l		0. The ostomy comfort pad of claim 1 wherein:
2		aid body sections are sized slightly larger than an ostomy appliance; and

said bottom sections are sized slightly larger than an ostomy appliance.

3